

ALUMIO ME-E DYNAMIC BASIC



ALUMIO ME-E DYNAMIC BASIC •
HIT 35W / 50W / 70W • G12

230V/50Hz

570

Ø420

<input type="checkbox"/>	<input type="checkbox"/>	GEAR E	<input type="checkbox"/>	FIX 21-21-P-2T	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	9016 TEX 9006 TEX 9007	7.1 KG	F	0.8 m	I	IP 20

• Standard with protection glass

ALUMIO ME-E DYNAMIC BASIC •
HST-TG 50W / 100W • GX12-1

230V/50Hz

570


Ø420

<input type="checkbox"/>	<input type="checkbox"/>	GEAR E	<input type="checkbox"/>	FIX 21-21-P-2T	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	9016 TEX 9006 TEX 9007	7.0 KG	F	0.8 m	I	IP 20


• Standard with protection glass




FIX I





FIX 4I



FIX I




FIX 2I




FIX J




FIX 4J



FIX J




FIX 2J



FIX P




FIX P



FIX T




FIX T



<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.1 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20

- Steel cable 2m - 4m - 6m

FIX 2T



<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.14 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20

- Steel cable 2m - 4m - 6m

