

ALUMIO ME-E DYNAMIC NOVUS II



ALUMIO ME-E DYNAMIC NOVUS II •
HIT 35W / 50W / 70W • G12

		GEAR E		FIX 2I-2I-P-2I		
	9016 TEX 9006 TEX 9007	7.2 KG	F	0.8 m	I	IP 20

- Standard with protection glass
- Patented in BE, NL, LU, FR, IT
- Patent pending in DE


ALUMIO ME-E DYNAMIC NOVUS II •
HST-TG 50W / 100W • GX12-1

		GEAR E		FIX 2I-2I-P-2I		
	9016 TEX 9006 TEX 9007	7.2 KG	F	0.8 m	I	IP 20


- Standard with protection glass
- Patented in BE, NL, LU, FR, IT
- Patent pending in DE




FIX I





FIX 4I



FIX I




FIX 2I




FIX J




FIX 4J



FIX J




FIX 2J



FIX P




FIX P



FIX T




FIX T



<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.1 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20	<input type="checkbox"/>

- Steel cable 2m - 4m - 6m

FIX 2T



<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.14 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20	<input type="checkbox"/>

- Steel cable 2m - 4m - 6m

