

CONO



CONO • HST-TG 50W / 100W • GX12-1

40°		GEAR E		FIX I-J-K-P-T		
		2.9 KG				IP 20

- Gold-coated reflector available
- Gold-coated reflector also available with slits

CONO • TC-TE 32W / 42W • GX24q3/4

125°		GEAR E		FIX I-J-K-P-T		
		4.8 KG				IP 20

- Without reflector

CONO • TC-TE 32W / 42W • GX24q3/4

70°		GEAR E		FIX I-J-K-P-T		
		4.8 KG				IP 20

- With reflector

CONO • HIT 35W / 50W / 70W • G12


50°		GEAR E		FIX I-J-K-P-T		
		3.0 KG				IP 20

- Gold-coated reflector available
- Gold-coated reflector also available with slits
- Standard with safety glass


CONO • HST-EL 100W • PG12-1

40°		GEAR E		FIX I-J-K-P-T		
		4.6 KG				IP 20


- Gold-coated reflector available
- Gold-coated reflector also available with slits




FIX I





FIX 4I



FIX I




FIX 2I




FIX J




FIX 4J



FIX J




FIX 2J



**FIX K**



**FIX K**



	ALU 9016 TEX 9006 TEX	0.1 KG	F		IP 20		


- Steel cable 2m - 4m - 6m



**FIX P**




**FIX P**



**FIX T**




FIX T



<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.1 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20	<input type="checkbox"/>

- Steel cable 2m - 4m - 6m

FIX 2T



<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.14 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20	<input type="checkbox"/>

- Steel cable 2m - 4m - 6m

