

**KARDAN**



KARDAN • HIT 35W / 50W / 70W / 100W / 150W • G12


10° - 30° 45° - 65°	P.312	GEAR E	FIX 2I-2J-P-R-2T	UV	
9016 TEX 9006 TEX	6.0 KG	F	0.8 m	I	IP 20

- Gold-coated reflector available
- Standard with safety glass


KARDAN • HST-TG 50W / 100W • GX12-1

10° - 20° 30° - 40°	P.312	GEAR E	FIX 2I-2J-P-R-2T	UV	P
9016 TEX 9006 TEX	6.0 KG	F	0.8 m	I	IP 20


- Gold-coated reflector available




FIX I





FIX 4I



FIX I




FIX 2I




FIX J




FIX 4J



FIX J




FIX 2J



**FIX P**




**FIX P**



**FIX R**




**FIX R**



	ALU 9016 TEX 9006 TEX	0.3 KG	F		I	IP 20	

- Steel cable 2m - 4m - 6m



**FIX T**



FIX T

3F-TRACK 230V/50Hz

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.1 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20

- Steel cable 2m - 4m - 6m

FIX 2T

3F-TRACK 230V/50Hz

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.14 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20

- Steel cable 2m - 4m - 6m

