

KARDAN FLUO



KARDAN FLUO • HIT 35W / 50W / 70W • G12

| | | | | | | |
|------------------------|-----------|-----------|-------|---------------------|-------|---|
| 10° - 30° 45° - 65° | P.312 | GEAR E | | FIX 21-21-P-R-2T | UV | ● |
| 9016 TEX 9006 TEX | 7.0 KG | F | 0.8 m | I | IP 20 | |

- Gold-coated reflector available
- Standard with safety glass
- Plexi colours on demand


KARDAN FLUO • HST-TG 50W / 100W • GX12-1

| | | | | | | | |
|------------------------|-----------|-----------|-------|---------------------|-------|---|---|
| 10° - 25° 30° - 35° | P.312 | GEAR E | | FIX 21-21-P-R-2T | UV | ● | P |
| 9016 TEX 9006 TEX | 6.8 KG | F | 0.8 m | I | IP 20 | | |


- Gold-coated reflector available
- Plexi colours on demand




FIX I





FIX 4I



FIX I




FIX 2I




FIX J




FIX 4J



FIX J




FIX 2J



FIX P




FIX P



FIX R




FIX R



| | | | | | | | |
|--|-----------------------------|-----------|---|--|---|-------|--|
| | | | | | | | |
| | ALU 9016 TEX 9006 TEX | 0.3 KG | F | | I | IP 20 | |


- Steel cable 2m - 4m - 6m



FIX T




FIX T



| | | | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input type="checkbox"/> | WHITE GRAY BLACK | 0.1 KG | F | <input type="checkbox"/> | <input type="checkbox"/> | IP 20 |

- Steel cable 2m - 4m - 6m

FIX 2T



| | | | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input type="checkbox"/> | WHITE GRAY BLACK | 0.14 KG | F | <input type="checkbox"/> | <input type="checkbox"/> | IP 20 |

- Steel cable 2m - 4m - 6m

