

**NUDE 420 SMOOTH**



NUDE 420 SMOOTH • HIT 210W + LED • PGZ18

85°		GEAR E		FIX I-J-K-P-T		
	9016 TEX 9006 TEX	5.3 KG				IP 20

- Standard with sandblasted safety glass
- LED available in red - green - blue - amber and white (3000K - 6300K)

NUDE 420 SMOOTH • TC-TE 32W / 42W + LED  
• GX24q3/4

75°		GEAR E		FIX I-J-K-P-T		
	9016 TEX 9006 TEX	4.8 KG				IP 20

- Standard with safety glass
- LED available in red - green - blue - amber and white (3000K - 6300K)


NUDE 420 SMOOTH • HIT 210W • PGZ18

85°		GEAR E		FIX I-J-K-P-T		
	9016 TEX 9006 TEX	4.9 KG				IP 20


- Standard with sandblasted safety glass

NUDE 420 SMOOTH • TC-TE 32W / 42W  
• GX24q3/4


75°		GEAR E		FIX I-J-K-P-T		
	9016 TEX 9006 TEX	4.4 KG				IP 20




FIX I





FIX 4I



FIX I




FIX 2I




FIX J




FIX 4J



FIX J




FIX 2J



**FIX K**



**FIX K**



	ALU 9016 TEX 9006 TEX	0.1 KG	F		IP 20		


- Steel cable 2m - 4m - 6m



**FIX P**




**FIX P**



**FIX T**




FIX T



<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.1 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20	<input type="checkbox"/>

- Steel cable 2m - 4m - 6m

FIX 2T



<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.14 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20	<input type="checkbox"/>

- Steel cable 2m - 4m - 6m

