

NUDE CANDLE



NUDE CANDLE • HIT 35W / 50W / 70W / 100W / 150W • G12

230V/50Hz

10° - 15° 25° - 60° 85°	P.321	GEAR E		FIX I-J-K-P-T		
	9016 TEX 9006 TEX	8.0 KG	F	1.2 m	I	IP 20


- Gold-coated reflector available in 25° - 60° - 85°
- Standard with safety glass
- Plexi colours on demand

NUDE CANDLE • HST-TG 50W / 100W • GX12-1


230V/50Hz

10° - 15° 25° - 60° 85°	P.321	GEAR E		FIX I-J-K-P-T		
	9016 TEX 9006 TEX	7.9 KG	F	0.8 m	I	IP 20


- Gold-coated reflector available in 25° - 50° - 85°
- Standard with safety glass
- Plexi colours on demand




FIX I





FIX 4I



FIX I




FIX 2I




FIX J




FIX 4J



FIX J




FIX 2J



FIX K



FIX K



	ALU 9016 TEX 9006 TEX	0.1 KG	F		↓	IP 20	


- Steel cable 2m - 4m - 6m



FIX P




FIX P



FIX T




FIX T



<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.1 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20	

- Steel cable 2m - 4m - 6m

FIX 2T



<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.14 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20	

- Steel cable 2m - 4m - 6m

