

RONDO JR.



RONDO JR. • TC-TE 32W/42W • GX24q3/4

		GEAR E		FIX I-J-K-P-T		
	ALU + WHITE GLASS	1.8 KG	F	0.3 m	I	IP 20

- Standard with safety glass

RONDO JR. • HIT 35W / 50W / 70W • G12

10° - 30° 45° - 65°	P.297	GEAR E		FIX I-J-K-P-T		
	ALU + WHITE GLASS	2.3 KG	F	0.8 m	I	IP 20

- Standard with safety glass
- Gold-coated reflector available


RONDO JR. • HST-TG 50W / 100W • GX12-1

15° - 35° 50° - 70°	P.297	GEAR E		FIX G-H-I-J-K		
	ALU + WHITE GLASS	3.3 KG	F	0.8 m	I	IP 20


- Gold-coated reflector available
- Standard with safety glass




FIX I





FIX 4I



FIX I




FIX 2I



FIX J




FIX 4J



	CHROME						

- Steel cable 2m - 4m - 6m


FIX J



	CHROME						

- Steel cable 2m - 4m - 6m

FIX 2J



	CHROME						


- Steel cable 2m - 4m - 6m



FIX K




FIX K



FIX P




FIX P



FIX T




FIX T



<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.1 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20	

- Steel cable 2m - 4m - 6m

FIX 2T



<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.14 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20	

- Steel cable 2m - 4m - 6m

