

SOLEANO




SOLEANO • HIT 210W • PGZ18

85°	P.332	GEAR E		FIX 21-21-P-21		
	9016 TEX 9006 TEX	13.5 KG	F	2.0 m	IP 20	


• Standard with sandblasted safety glass




FIX I





FIX 4I



FIX I




FIX 2I




FIX J




FIX 4J



FIX J




FIX 2J



FIX P




FIX P



FIX T




FIX T



<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.1 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20	<input type="checkbox"/>

- Steel cable 2m - 4m - 6m

FIX 2T



<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	WHITE GRAY BLACK	0.14 KG	F	<input type="checkbox"/>	<input type="checkbox"/>	IP 20	<input type="checkbox"/>

- Steel cable 2m - 4m - 6m

